

AMENDMENTS TO THE CLAIMS:

Please amend claims 2, 4, 8 and 11-13, and add new claims 17-32, as shown below.

This listing of claims will replace all prior versions and listings of claims in the
Application:

Claim 1 (original): A coaxial plug connector comprising first and second receiving chambers which are surrounded by first and second metal sleeves, respectively, said first metal sleeve being made up of first and second half shells which are placed one on top of the other, and said second metal sleeve being inserted in said first half shell.

Claim 2 (currently amended): The coaxial plug connector according to Claim 1, wherein said first and second half shells are latched ~~with each other~~ to one another.

Claim 3 (original): The coaxial plug connector according to Claim 1, wherein one of said first and second half shells has a cut-out and the other of said half shells has a retaining lug engaging into said cut-out.

Claim 4 (currently amended): The coaxial plug connector according to Claim 2, wherein a crimping sleeve is attached to said first metal sleeve so as to be arranged ~~at a distance~~ spaced from a latching point of said two half shells, said crimping sleeve securing said two half shells to each other.

Claim 5 (original): The coaxial plug connector according to Claim 1, wherein said second metal sleeve is flanged in an interior of said first half shell.

Claim 6 (original): The coaxial plug connector according to Claim 1, wherein arranged in an interior of said second metal sleeve is a first dielectric plastic body having a mount in which an inner conductor is arranged.

IAVES SOLOWAY P.C.
30 W. CUSHING STREET
TUCSON, AZ 85701
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
ANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567

Claim 7 (original): The coaxial plug connector according to Claim 6, wherein said second metal sleeve is provided with a plurality of small passage openings through which said first plastic body extends as far as to an outer side of said second metal sleeve.

Claim 8 (currently amended): The coaxial plug connector according to Claim 6, wherein said first plastic body extends as far as into said first half shell.

Claim 9 (original): The coaxial plug connector according to Claim 6, wherein a second dielectric plastic body is provided so as to be arranged in said second half shell.

Claim 10 (original): The coaxial plug connector according to Claim 9, wherein said second half shell is provided with a plurality of small passage openings through which said second plastic body extends as far as to an outer side of said second half shell.

Claim 11 (currently amended): The coaxial plug connector according to Claim 9, wherein said first and second plastic bodies are latched ~~with each other~~ to one another.

Claim 12 (currently amended): ~~The coaxial plug connector according to Claim 11~~
A coaxial plug connector comprising first and second receiving chambers which are surrounded by first and second metal sleeves, respectively, said first metal sleeve being made up of first and second half shells which are placed one on top of the other, and said second metal sleeve being inserted in said first half shell,

wherein arranged in an interior of said second metal sleeve is a first dielectric plastic body having a mount in which an inner conductor is arranged,

wherein a second dielectric plastic body is provided so as to be arranged in said second half shell,

wherein said first and second plastic bodies are latched to one another, and

wherein one of said plastic bodies has a protrusion which engages into a recess in the other one of said plastic bodies.

Claim 13 (currently amended): ~~The coaxial plug connector according to Claim 9,~~
A coaxial plug connector comprising first and second receiving chambers which are surrounded by first and second metal sleeves, respectively, said first metal sleeve being made up of first and second half shells which are placed one on top of the other, and said second metal sleeve being inserted in said first half shell,

wherein arranged in an interior of said second metal sleeve is a first dielectric plastic body having a mount in which an inner conductor is arranged,

wherein a second dielectric plastic body is provided so as to be arranged in said second half shell,

wherein said second plastic body rests at said inner conductor such that it is firmly held in said mount.

Claim 14 (original): The coaxial plug connector according to Claim 9, wherein said first and second plastic bodies are provided with ribs which form a strain relief for a cable that can be crimped so as to be fixed in a crimping portion of said inner conductor.

Claim 15 (original): The coaxial plug connector according to Claim 1, wherein said first and second half shells have longitudinal edges along which they overlap at least in part and wherein said second metal sleeve overlaps said first half shell.

Claim 16 (original): The coaxial plug connector according to Claim 1, wherein said first and second metal sleeves are arranged at right angles to each other.

LAYES SOLOWAY P.C.
30 W. CUSHING STREET
TUCSON, AZ 85701
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
MANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567

Claim 17 (new): A coaxial plug connector comprising first and second receiving chambers which are surrounded by first and second metal sleeves, respectively, said first metal sleeve being made up of first and second half shells which are placed one on top of the other, and said second metal sleeve being inserted in said first half shell,

wherein said second metal sleeve is inserted into said first half shell at a side of said first half shell facing away from said second half shell.

Claim 18 (new): The coaxial plug connector according to Claim 17, wherein said first and second half shells are latched to one another.

Claim 19 (new): The coaxial plug connector according to Claim 17, wherein one of said first and second half shells has a cut-out and the other of said half shells has a retaining lug engaging into said cut-out.

Claim 20 (new): The coaxial plug connector according to Claim 18, wherein a crimping sleeve is attached to said first metal sleeve so as to be arranged spaced from a latching point of said two half shells, said crimping sleeve securing said two half shells to each other.

Claim 21 (new): The coaxial plug connector according to Claim 17, wherein said second metal sleeve is flanged in an interior of said first half shell.

Claim 22 (new): The coaxial plug connector according to Claim 17, wherein arranged in an interior of said second metal sleeve is a first dielectric plastic body having a mount in which an inner conductor is arranged.

Claim 23 (new): The coaxial plug connector according to Claim 22, wherein said second metal sleeve is provided with a plurality of small passage openings through which said first plastic body extends as far as to an outer side of said second metal sleeve.

Claim 24 (new): The coaxial plug connector according to Claim 22, wherein said first plastic body extends as far as into said first half shell.

Claim 25 (new): The coaxial plug connector according to Claim 22, wherein a second dielectric plastic body is provided so as to be arranged in said second half shell.

Claim 26 (new): The coaxial plug connector according to Claim 22, wherein said second half shell is provided with a plurality of small passage openings through which said second plastic body extends as far as to an outer side of said second half shell.

Claim 27 (new): The coaxial plug connector according to Claim 25, wherein said first and second plastic bodies are latched to one another.

Claim 28 (new): The coaxial plug connector according to Claim 27, wherein one of said plastic bodies has a protrusion which engages into a recess in the other one of said plastic bodies.

Claim 29 (new): The coaxial plug connector according to Claim 25, wherein said second plastic body rests at said inner conductor such that it is firmly held in said mount.

Claim 30 (new): The coaxial plug connector according to Claim 25, wherein said first and second plastic bodies are provided with ribs which form a strain relief for a cable that can be crimped so as to be fixed in a crimping portion of said inner conductor.

Claim 31 (new): The coaxial plug connector according to Claim 17, wherein said first and second half shells have longitudinal edges along which they overlap at least in part and wherein said second metal sleeve overlaps said first half shell.

Claim 32 (new): The coaxial plug connector according to Claim 17, wherein said first and second metal sleeves are arranged at right angles to each other.

IAYES SOLOWAY P.C.
30 W. CUSHING STREET
TUCSON, AZ 85701
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
ANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567